

TECHNICAL DATASHEET

EXTRALINK · SERVER RACKS

Extralink AZH 12U 600 mm × 600 mm double-section (swing) wall-mount cabinet, glass door, black

12U wall-mount cabinet, 600 × 600 mm, 640 mm high

SKU EX.12905

12U

Extralink



HEIGHT IN U

12U

EXTERNAL DIMENSIONS

640 × 600 × 600 mm

MANUFACTURER

Extralink

PRICE

On request**REQUEST A QUOTATION ONLINE**serverinvest.com/product/extralink-ex-12905

01 Product overview

The Extralink EX.12905 is a 12U 19-inch wall-mount cabinet finished in black, measuring 640 mm high, 600 mm wide and 600 mm deep. It is intended for offices, small server and network rooms, CCTV control rooms and other technical spaces where switches, patch panels, recorders and compact network equipment need a tidy, lockable enclosure that does not occupy floor space. Its double-section (swing-frame) design lets the front section pivot away from the wall-mounted rear part, giving convenient access to the rear of installed equipment and to incoming cabling.

The welded frame and outer walls are made of cold-rolled steel sheet. The front door is fitted with a tempered-glass pane, can be hung to open to the left or right and swings beyond 180°, so equipment remains visible while the cabinet stays closed. The side panels are held by latches and can be removed for installation and maintenance work, with locks and keys included.

Vertical rails are clearly marked with U positions. Cable openings are provided in both the top cover and the bottom panel, and the roof is prepared for mounting two fans to improve heat removal from active equipment. The cabinet is designed primarily for wall installation but can also be set up standing, and the frame concept allows straightforward self-assembly while keeping the package compact for transport.

HIGHLIGHTS

- 12U 19-inch wall-mount cabinet, 600 × 600 mm footprint
- Double-section swing frame for rear access
- Removable side panels on latches, locks and keys included
- Cable entries in the top cover and bottom panel
- Roof prepared for two fans



KEY SPECIFICATIONS

Manufacturer	Extralink
Model	EX.12905
Series	AZH double-section wall-mount cabinet
Rack type	Wall-mount cabinet
Height in U	12U
Rack standard	19-inch
External dimensions (H × W × D)	640 × 600 × 600 mm
Installation	Wall mounting; can also be positioned standing
Mounting rails	Vertical rails with U-height marking
Side panels	Removable, latch-fixed, lockable
Construction	Double-section (swing) design for rear access
Lock	Locks with keys included

02 Full specifications

GENERAL

Manufacturer	Extralink
Model	EX.12905
Series	AZH double-section wall-mount cabinet
Rack type	Wall-mount cabinet

DIMENSIONS

Height in U	12U
Rack standard	19-inch
External dimensions (H × W × D)	640 × 600 × 600 mm

MOUNTING

Installation	Wall mounting; can also be positioned standing
Mounting rails	Vertical rails with U-height marking

DOORS & PANELS

Front door	Tempered-glass front door, reversible (left or right opening), opening angle over 180°
Side panels	Removable, latch-fixed, lockable
Construction	Double-section (swing) design for rear access
Lock	Locks with keys included

COOLING

Fan provision	Roof prepared for 2 fans
---------------	--------------------------

CONSTRUCTION

Frame	Welded frame, designed for easy self-assembly
Material	Cold-rolled steel sheet, tempered glass
Colour	Black
Cable entry	Openings in top cover and bottom panel

03 Engineered, delivered & supported by ServerInvest

Engineering & sizing

Selected and sized against your real IT load, room and redundancy targets.

Installation

Delivery, installation and commissioning by our engineers across Europe.

Certified processes

ISO 9001, ISO 14001 and ISO 27001 certified project delivery.

Service & support

Maintenance, spare parts and support from a single partner.



Interested in this solution?

Request a quotation online or talk to a solutions engineer — we reply within one business day.
office@serverinvest.com

