TECHNICAL DATASHEET

INTELLINET · SERVER RACKS

Intellinet Basic Line 6U 19" wall-mount network cabinet, 540 × 560 mm (W × D), flat-packed, black

6U 19" Wall Mount Network Cabinet, Basic Line, 560 mm Depth, Black

SKU 714785 | 6U | Intellinet

HEIGHT	EXTERNAL DIMENSIONS	MANUFACTURER	PRICE
6U	354 × 540 × 560 mm	Intellinet Network Solutions	On request

REQUEST A QUOTATION ONLINE

serverinvest.com/product/intellinet-714785

01 Product overview

The Intellinet Basic Line wall-mount cabinet is a cost-effective 19-inch enclosure for protecting and securing network equipment in offices, shops and technical rooms. The housing is made of cold-rolled, galvanized SPCC steel up to 1.2 mm thick and achieves an IP20 protection grade, while the tempered-glass front door is reversible so it can open to either side in tight spaces.

Model 714785 is a 6U wall-mount network cabinet measuring 354 × 540 × 560 mm (H × W × D), finished in Black RAL9005. Usable installation depth is 500 mm. Maximum static load is 50 kg. The front door is tempered glass and the cabinet is delivered flat-packed.

Basic Line cabinets ship flat-packed to save freight and storage space, and comply with ANSI/EIA RS-310-D, IEC 60297-2 and DIN 41494 parts 1 and 7, so any standard 19-inch patch panel, switch or shelf can be installed. Intellinet backs the product with a three-year warranty.

HIGHLIGHTS

- 6U 19" wall-mount cabinet, 540 × 560 mm
- Usable depth 500 mm
- Reversible tempered-glass front door
- Max. static load 50 kg
- Galvanized SPCC steel up to 1.2 mm, IP20
- Ships flat-packed, three-year warranty

KEY SPECIFICATIONS

Manufacturer	**Intellinet Network Solutions**
Part number	**714785**
EAN	**0766623714785**
Series	**Basic Line (wall-mount)**
Type	**wall-mount network cabinet**
Height (rack units)	**6U**
Mounting standard	**19" (482.6 mm)**
External dimensions (H × W × D)	**354 × 540 × 560 mm**
Width	**540 mm**
Depth	**560 mm**
Height	**354 mm**
Net weight	**13.6 kg**

02 Full specifications

GENERAL	
Manufacturer	Intellinet Network Solutions
Part number	714785
EAN	0766623714785
Series	Basic Line (wall-mount)
Type	wall-mount network cabinet
Height (rack units)	6U
Mounting standard	19" (482.6 mm)

DIMENSIONS	
External dimensions (H × W × D)	354 × 540 × 560 mm

Width	540 mm
Depth	560 mm
Height	354 mm
Net weight	13.6 kg

MOUNTING

Usable depth	500 mm

LOAD

Maximum static load	50 kg

CONSTRUCTION

Colour	Black RAL9005
Material	Cold-rolled galvanized SPCC steel, up to 1.2 mm

DOORS & SECURITY

Front door	Tempered glass, reversible, lockable

PROTECTION

IP rating	IP20

STANDARDS

Compliance	ANSI/EIA RS-310-D; IEC60297-2; DIN41494, Part 1; DIN41494, Part 7

DELIVERY

Delivery state	Flat-packed

PACKAGE CONTENTS

Included	Flat Pack Wallmount; Installation Instructions

WARRANTY

Warranty	3 years (manufacturer)

03 Engineered, delivered & supported by ServerInvest

Engineering & sizing
Selected and sized against your real IT load, room and redundancy targets.

Installation
Delivery, installation and commissioning by our engineers across Europe.

Certified processes
ISO 9001, ISO 14001 and ISO 27001 certified project delivery.

Service & support
Maintenance, spare parts and support from a single partner.

Interested in this solution?

Request a quotation online or talk to a solutions engineer — we reply within one business day.
office@serverinvest.com