

TECHNICAL DATASHEET

TECHLY • SERVER RACKS

Techly I-CASE IP55-1245 12U 600 mm × 450 mm IP55 wall-mount 19-inch rack cabinet, steel door, grey

12U 19-inch wall-mount cabinet, 600 × 450 × 623 mm, IP55

SKU I-CASE IP55-1245

12U

Techly



HEIGHT IN U

12U

EXTERNAL DIMENSIONS

623 × 600 × 450 mm

MANUFACTURER

Techly

PRICE

On request**REQUEST A QUOTATION ONLINE**serverinvest.com/product/techly-i-case-ip55-1245

01 Product overview

The Techly I-CASE IP55-1245 is a 12U 19-inch wall-mount cabinet from the I-CASE range, measuring 623 mm high, 600 mm wide and 450 mm deep, in grey. It is aimed at workshops, warehouses and semi-industrial areas where equipment must be protected from dust and water.

Access is through a solid steel front door that opens up to 90°, secured by a key lock. The side panels are fixed. The rear is closed by a solid panel. The 19-inch mounting profiles are depth-adjustable.

Active ventilation is provided by 2 fans. The enclosure is rated IP55. It is delivered pre-assembled.

HIGHLIGHTS

- 12U 19-inch wall-mount cabinet, 600 × 450 × 623 mm
- Solid steel front door, lockable
- IP55 protection
- 2 fans for active ventilation

KEY SPECIFICATIONS

Manufacturer	Techly
Model	I-CASE IP55-1245
Series	I-CASE IP55 wall cabinet
Rack type	Wall-mount cabinet
Height in U	12U
Rack standard	19-inch
External dimensions (H × W × D)	623 × 600 × 450 mm
Weight	25.2 kg
Front mounting profiles	Adjustable
Front door	Solid steel front door, opening 90°
Rear	Solid
Side panels	Fixed



02 Full specifications

GENERAL

Manufacturer	Techly
Model	I-CASE IP55-1245
Series	I-CASE IP55 wall cabinet
Rack type	Wall-mount cabinet

DIMENSIONS

Height in U	12U
Rack standard	19-inch
External dimensions (H × W × D)	623 × 600 × 450 mm
Weight	25.2 kg

MOUNTING

Front mounting profiles	Adjustable
-------------------------	------------

DOORS & PANELS

Front door	Solid steel front door, opening 90°
Rear	Solid
Side panels	Fixed
Lock	Key lock

COOLING

Cooling	Active
Fans	2

CONSTRUCTION

Colour	Grey
Assembly	Pre-assembled

COMPLIANCE

IP rating	IP55
-----------	------

WARRANTY

Warranty	1-year
----------	--------

03 Engineered, delivered & supported by ServerInvest

Engineering & sizing

Selected and sized against your real IT load, room and redundancy targets.

Installation

Delivery, installation and commissioning by our engineers across Europe.

Certified processes

ISO 9001, ISO 14001 and ISO 27001 certified project delivery.

Service & support

Maintenance, spare parts and support from a single partner.



Interested in this solution?

Request a quotation online or talk to a solutions engineer — we reply within one business day.
office@serverinvest.com

